SAFETY DATA SHEET

MSDS: A4217_E71USUS Date Prepared: 2018/11/20

Date Revised:

Product Name: ENEOS ECO ATF PLUS

1. Identification

Product name: ENEOS ECO ATF PLUS

Recommended use and

General industrial application

restrictions on use: Manufacturer/Supplier:

JXTG Nippon Oil & Energy Corporation

Address: 1-2, Otemachi 1-Chome, Chiyoda-ku, Tokyo, 100-8162 Japan

Emergency telephone

+81-3-6260-2004

number:

(Contact Available time: From 9:00 to 17:30 GMT +9 hours)

2. Hazards identification

Classification of the chemical in accordance with OSHA Hazard Communication Standard (29 CFR § 1910.1200)

Hazard category Category

Flammable liquids No Classification
Acute toxicity (oral) No Classification
Acute toxicity (dermal) No Classification
Aspiration hazard No Classification

Label elements

Pictograms: Not applicable
Signal word: Not applicable
Hazard statement: Not applicable

Precautionary statements:

Prevention Do not handle until all safety precautions have been read and

understood.

Wear protective gloves/protective clothing/eye protection/face

protection.

Do not allow the eyes to become exposed to the product. Do not

swallow the product.

Wash hands thoroughly after handling.

Do no eat, drink or smoke when using this product.

Response IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

If the eyes are exposed to the product: Rinse the eyes with plenty of running water and immediately contact a physician.

IF ON SKIN: Wash with plenty of soap and water.

Storage The product must be stored in a cool, well-ventilated location

where it will not be exposed to direct sunlight.

Containers that have been opened must be tightly sealed.

Disposal Dispose of contents/container in accordance with

local/regional/national/international regulations.

SAFETY DATA SHEET

MSDS: A4217_E71USUS Date Prepared: 2018/11/20

Date Revised:

Product Name: ENEOS ECO ATF PLUS

If there are any doubts about proper methods of handling the product, contact the point of purchase before proceeding with usage.

Hazard not otherwise classified (HNOC): None known

Supplemental information: <10% of the mixture consists of component of unknown acute oral toxicity. <10% of the mixture consists of component of unknown acute dermal toxicity. <10% of the mixture consists of component of unknown acute hazards to the aquatic environment. 100% of the mixture consists of components of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Substance/Mixture: Mixture

Ingredients and Concentration

Chemical Name	Concentr ation wt.%	CAS#
Base 0il(s)	80-90	Trade Sectret
Additives	<20	-

4. First-aid measures

Inhalation: IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

Cover the body with blankets to keep warm and quiet. If you feel

unwell, seek medical advice.

Skin contact: Immediately flush skin with large amounts of water.

Wash contaminated clothing before reuse.

If skin irritation occurs: Get medical advice/attention.

Eye contact: Rinse with clean water carefully for several minutes. Remove

contact lenses if present and if removal is easy, then continue rinsing. Rinse for 15 minutes at a minimum and seek medical

attention.

Ingestion: Do not induce vomiting. Drink one glass two glasses of water.

Call a physician [or poison control

center] immediately.

Most important symptoms/effects,

acute and delayed.

May cause allergic skin reaction. Dermatis. Rash.

5. Fire-fighting measures

Suitable extinguishing media: Mist of loaded liquid, dry chemicals, carbon dioxide, fire foam,

and dry sand are effective.

Unsuitable extinguishing media: Use of straight stream of water can cause a risk of spreading

fire.

SAFETY DATA SHEET

MSDS: A4217_E71USUS Date Prepared: 2018/11/20

Date Revised:

Product Name: ENEOS ECO ATF PLUS

Specific hazards arising from the

chemical:

In some cases of fire, may release irritant gases.

Specific extinguishing methods: Spray water to the surrounding facilities for cooling.

Keep unauthorized persons off the site of occurrence of fire and

When burnt, may generate carbon monoxide and other toxic gases.

the surroundings.

Even after extinction, cool containers thoroughly with plenty of

water.

Special protective equipment and precautions for fire fighters:

Wear fire/flame resistant/retardant clothing.

Fight fire from windward direction while wearing protective equipment. If contact with skin is expected, wear impervious

protective equipment and gloves.

Use air-breathing apparatus and protective clothing whenever

necessary.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment when working.

Remove nearby potential ignition sources immediately.

When mist is generated, use respiratory equipment to prevent

inhalation of mist.

Do not touch or walk through spillage.

Pay attention to the site of spillage, which is slippery.

Environmental precautions: Prevent spreading of oil spill with earth and sand, sandbags, or

other proper materials and use care not to allow the oil spill to

flow to street drains, sewer systems, and rivers.

At sea, install oil spill containment booms to prevent spreading

of spills and absorb with absorption mat or other proper

materials.

Methods and materials for containment and cleaning up:

In case of spillage in small quantity, collect spillage by absorbing with earth, sand, sawdust, waste, or other proper

materials.

In case of spillage in large quantity, enclose with embankment to prevent spreading of spillage and collect spillage in empty

containers to the extent possible.

Prevention of second accident:

In case of spillage, immediately inform the organizations concerned of the spillage to prevent possible accidents and

spreading of spillage.

Remove nearby potential ignition sources immediately and make fire-extinguishing agents available. Remove spillage completely,

and ventilate and clean the site and the surroundings.

7. Handling and storage

SAFETY DATA SHEET

MSDS: A4217_E71USUS

Date Prepared: 2018/11/20

Date Revised:

Product Name: ENEOS ECO ATF PLUS

Handling

Technical measures: Keep away from any possible contact with sparks, open flames, and

high-temperature materials, and do not allow release of vapor

without justification.

Use pumps or other proper equipment for taking out from

containers. Do not siphon with your mouth using a tube. Do not

drink.

When mist is generated, use respiratory equipment to prevent

inhalation of mist.

In case of vapor/mist dispersion, install a closed system, local ventilation system, and/or other proper equipment for the sources

of vapor/mist generation.

Avoid rough handling of containers such as falling, dropping,

exposing to shock, and dragging.

Ventilation requirements:

Maintain adequate ventilation when handling indoors.

Precautions: Wash hands and face thoroughly after handling.

Be careful with fire.

Precautions for safe

handling:

Avoid falling, dropping, exposing to shock, or dragging of

containers.

Wear protective gloves when opening containers to eliminate a

risk of hand injury.

Storage

Storage conditions: Store in a well ventilated, cool, dry, dark place, protecting

from direct sunlight and keeping away from any potential ignition

sources and high-temperature materials.

Store tightly stopped after use to prevent possible contamination

with dust and moisture.

Preferably store locked up in a proper storage area.

Safety adequate container materials:

Use spill-proof containers that are free of damage/corrosion.

8. Exposure controls/personal protection

Appropriate engineering controls: I

In case of mist generation, enclose the source of mist

generation, or install a ventilation system.

Install eye cleaning and body cleaning equipment near the

handling site.

Control parameters

Chemical Name	U.S OSHA			ACGIH	
	Ceiling	STEL	TWA	TLV-STEL	TLV-TWA
Base Oil(s)	-ppm -mg/m3	-ppm -mg/m3	-ppm -mg/m3		-ppm 5mg/m3(M ineral Oil Mist)

SAFETY DATA SHEET

MSDS: A4217_E71USUS Date Prepared: 2018/11/20

Date Revised:

Product Name: ENEOS ECO ATF PLUS

Personal protective equipment

Respiratory protection: Not needed under normal conditions, but wear a gas mask (against

organic gases) whenever required.

Hand protection: In case of prolonged or repeated exposure, wear oil-resistant

hand protection.

Eye/face protection: In case of exposure to splashes, wear ordinary type goggles.

Skin protection: In case of handling over a prolonged period of time or in case of

exposure to oil, wear oil-resistant, long-sleeved work clothing.

Hygiene measures: Take off contaminated clothing and wash thoroughly before reuse.

Wash hands thoroughly after handling.

9. Physical and chemical properties

Product

Liquid Appearance: :Hq No data. Vapour pressure: No data. Vapour density: No data. Relative density: No data. Viscosity: No data. Form: Liquid Color: Red

Odor: Slight odor

Melting point/freezing Pour Point-48(℃)

point:

Flash point: 220(°C)Cleveland Open Cup

Auto-ignition Estimate 200-410 (°C)

temperature:

Vapour density: No data.
Density(g/cm3): 0.8499

Solubility: water: Insoluble.

Partition coefficient: No data.

n-octanol/water:

Decomposition No data.

temperature:

Kinematic viscosity: $>20.5 \text{ (mm2/sec)} (40^{\circ}\text{C})$

10. Stability and reactivity

Chemical stability: Stable when stored or preserved in a dark place at room temperature. Possibility of hazardous Keep away from any possible contact with strong oxidizing agents.

reactions:

SAFETY DATA SHEET

MSDS: A4217 E71USUS Date Prepared: 2018/11/20

Date Revised:

Product Name: ENEOS ECO ATF PLUS

Conditions to avoid: Contact with incompatible hazard substances

Prolonged heating, open flames, and ignition sources

Incompatible materials: Use care to keep away from any possible contact with halogens, strong

acids, alkalis, and acidifying substances.

Hazardous decomposition

products:

When burnt, may release carbon monoxide and other gases.

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics:

Delayed and immediate effects and also chronic effects from short- and long- term

exposure:

May cause allergic skin reaction. Dermatitis. Rash.

Short term exposure:

Potential immediate effects: No information Potential delayed effects: No information

Long term exposure:

Potential immediate effects: No information Potential delayed effects: No information

Product

Acute toxicity (oral): For mixtures, hazard category was identified based on

the classification criteria for mixtures.

Acute toxicity (dermal): For mixtures, hazard category was identified based on

the classification criteria for mixtures.

Acute toxicity (inhalation): For mixtures, hazard category was identified based on

the classification criteria for mixtures.

Skin corrosion/irritation: For mixtures, hazard category was identified based on

the classification criteria for mixtures.

Serious eye damage/irritation: For mixtures, hazard category was identified based on

the classification criteria for mixtures.

For mixtures, hazard category was identified based on Respiratory sensitization:

the classification criteria for mixtures.

Skin sensitization: For mixtures, hazard category was identified based on

the classification criteria for mixtures.

For mixtures, hazard category was identified based on Mutagenicity:

the classification criteria for mixtures.

Carcinogenicity: For mixtures, hazard category was identified based on

the classification criteria for mixtures.

For mixtures, hazard category was identified based on Reproductive toxicity:

the classification criteria for mixtures.

the classification criteria for mixtures.

For mixtures, hazard category was identified based on

Target organ effect/Single For mixtures, hazard category was identified based on

exposure:

Target organ effect/Multi

exposure:

the classification criteria for mixtures.

Respiratory toxic: For mixtures, hazard category was identified based on

the classification criteria for mixtures.

Other information:

SAFETY DATA SHEET

MSDS: A4217_E71USUS Date Prepared: 2018/11/20

Date Revised:

Product Name: ENEOS ECO ATF PLUS

Ingredient
Base 0il(s)

Acute toxicity (oral): LD50:> 5000 mg/kg[rat]
Acute toxicity (dermal): LD50:> 2000 mg/kg[rabbit]

Serious eye damage/irritation: Practically None

Skin sensitization: None Buehler method [guinea pig]

Mutagenicity: Ames Test:Negative

Carcinogenicity: EU:Category 2: R45 need not apply. (NOTE L is Applicable)

12. Ecological information

Product

Ecotoxicity

Fish acute toxicity: For mixtures, hazard category was identified based on

the classification criteria for mixtures.

Algae acute toxicity: For mixtures, hazard category was identified based on

the classification criteria for mixtures.

Fish chronic toxicity: For mixtures, hazard category was identified based on

the classification criteria for mixtures.

Algae chronic toxicity: For mixtures, hazard category was identified based on

the classification criteria for ${\tt mixtures.}$

Other impact:

Ingredient
Base 0il(s)

 ${\tt Ecotoxicity}$

Fish acute toxicity: 96hLC50:> 5000 mg/L[Oncorhynchus mykiss]
Daphnia acute toxicity: 48hEC50:> 1000 mg/L[Daphnia magna]

13. Disposal considerations

Disposal Dispose of contents/container in accordance with local/regional/national/international methods: regulations.

Every customer/user of the product should dispose of industrial waste on its own responsibility, otherwise it must rely on a company authorized by prefectural governor

responsibility, otherwise it must rely on a company authorized by prefectural governor for treating industrial waste or a local public body involved in the disposal of industrial

waste for proper disposal.

Before disposal of used container, remove contents completely.

14. Transport information

IATA UN number: Not regulated

SAFETY DATA SHEET

MSDS: A4217 E71USUS Date Prepared: 2018/11/20

Date Revised:

Product Name: ENEOS ECO ATF PLUS

> Proper Not regulated

shipping name:

Not regulated Packing group: UN number: Not regulated Not regulated Proper

shipping name:

Packing group: Not regulated

Specific security

IMDG

Transport containers without causing any significant friction or shaking.

precaution and condition of transportation:

15. Regulatory information

US California Proposition 65

None of the ingredients is listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA Title III) None present or none present in regulated concentrations.

Australia (AICS): All components are listed or exempted. Canada (DSL): All components are listed or exempted. China (IECSC): All components are listed or exempted.

EU (REACH): In the case where one or more components are not listed or, even if

listed, in the case of importing to the country or area concerned, an

application or notification is required.

Korea (KECL): All components are listed or exempted.

In the case where one or more components are not listed or, even if New Zealand(NZIoC):

listed, in the case of importing to the country or area concerned, an

application or notification is required.

Philippines (PICCS): All components are listed or exempted. Taiwan (TCSI): All components are listed or exempted. USA (TSCA) : All components are listed or exempted.

16. Other information

NFPA Health hazard rating blue:0, Flammability hazard rating:1

HMIS Health Ratings: 0, Flammability Ratings: 1

2018/11/20 Date Prepared:

SAFETY DATA SHEET

MSDS: A4217_E71USUS

Date Prepared: 2018/11/20

Date Revised:

Product Name: ENEOS ECO ATF PLUS

Disclaimer: We at JXTG Nippon Oil & Energy Corporation have prepared the copyrighted

Safety Data Sheet to provide reference information on the hazardous chemical product of interest for our customers/users to ensure secure and

safe handling.

We would like every customer/user of the product to refer to the information and understand the necessity of taking appropriate measures for the actual handling conditions on their own responsibilities for

optimum practical application of the product of interest.

Consequently, the Safety Data Sheet is not intended to guarantee the

safety of the product referenced to herein.