



THE MOTOR OIL

**JX NIPPON OIL & ENERGY** is the leading innovator and supplier of automotive lubricants to the majority of Asian automobile manufacturers.



Manufactured in Childersburg, Alabama



**ENEOS** products include proprietary formulations for proper lubrication, enhancing engine performance, reducing wear and extending engine life. Mechanics notice cleaner engine parts upon disassembly. Drivers notice a smoother ride, increased fuel efficiency, and easier engine starts during cold weather.

WHERE TO BUY ENEOS PRODUCTS,  
[www.eneos.us/where-to-buy](http://www.eneos.us/where-to-buy)

For additional information about ENEOS products, please contact or visit [WWW.ENEOS.US](http://WWW.ENEOS.US)

**JX NIPPON OIL & ENERGY USA INC.**  
SCHAUMBURG, IL (847) 413-2188  
TORRANCE, CA (310) 327-1020


[WWW.ENEOS.US](http://WWW.ENEOS.US)



## ENEOS 0W-16

ENEOS 0W-16 Fully Synthetic Motor Oil is 100% fully synthetic motor oil formulated with the next generation technology of JX Nippon Oil & Energy, a factory fill supplier of 0W-16 motor oil to Asian automakers. ENEOS 0W-16 Fully Synthetic Motor Oil is optimal for hybrid and ECO cars where 0W-16 is specified.

- Increase of fuel saving performance by 2%<sup>1</sup>



### FUEL EFFICIENCY

- Recommended for:
  - Toyota Camry 4-cylinder gasoline engines (2018 model year)
  - Honda Hybrids (Accord, Odyssey, CR-Z, Fit)<sup>2</sup> etc.
- Remarkable quick engine start and speed-up at cold temperatures:
 

ENEOS 0W-16 has better flow at cold temperatures due to optimally balanced synthetic base oils and proprietary polymer additives, enabling remarkable quick engine start and response at cold temperatures.
- API SN
- Superior anti-wear performance:
 

ENEOS 0W-16 provides exceptional engine protection, thanks to its superior anti-wear additive (Friction Modifier) and oil film retention capacity with our unique polymer technology.

1) Compared to a API SN/RC 0W-20 | 2) Vehicles manufactured in Japan | See website for additional details

PART NUMBERS		
Quart Bottle		3251-300
BIB (6 GA)		3251-400
Drum		3251-110



**ENEOS Gear Oil GL-5 75W-90** is a high performance gear oil that ensures excellent protection of the gears against metal-to-metal contact under the most severe conditions, even under shock-loads.

- Recommended for use in bevel, spiral bevel and hypoid gear type differentials and in power dividers compatible with synchromesh
- Ensures easy and smooth shifting, even at very low temperatures

**PART NUMBERS** Quart Bottle 3092-300

### PART NUMBERS

0W-16	Quart Bottle	3251-300
	BIB (6 GA)	3251-400
	Drum	3251-110
0W-20	Quart Bottle	3701-300
	5 Quart Bottle	3701-320
	BIB (6 GA)	3701-400
	Drum	3701-110
5W-20	Quart Bottle	3241-300
	5 Quart Bottle	3241-320
	BIB (6 GA)	3241-400
	Drum	3241-110
5W-30	Quart Bottle	3703-300
	5 Quart Bottle	3703-320
	BIB (6 GA)	3703-400
	Drum	3703-110
5W-40	Quart Bottle	3704-300
	5 Quart Bottle	3704-320
ECO ATF	Quart Bottle	3103-300
	BIB (6 GA)	3103-400
	Drum	3103-110
ECO CVT Fluid	Quart Bottle	3026-300
	BIB (6 GA)	3026-400
	Drum	3026-110
Gear Oil 75W-90	Quart Bottle	3092-300



### ENEOS 5W-30

ENEOS 5W-30 Fully Synthetic Motor Oil is 100% fully synthetic motor oil blended from high-performance hydro-refined base oils and an optimized additive blend to provide enhanced piston cleanliness, reduced engine sludge, and improved turbocharger protection.

- Outstanding oxidation stability at high temperatures
- API SN/RC, ILSAC GF-5
- dexos1™ Approved

ENEOS 5W-30 Fully Synthetic Motor Oil is dexos1™ approved, providing broad compatibility with domestic and import vehicles.



PART NUMBERS	Quart Bottle	3703-300
	5 Quart Bottle	3703-320
	BIB (6 GA)	3703-400
	Drum	3703-110



**ENEOS ECO ATF** is a fuel efficient, low viscosity automatic transmission fluid blended with premium base stocks and a low-molecular weight VI improver.

- Meets many of the ATF needs for Toyota, Honda, Nissan, Mitsubishi, Hyundai/Kia, domestic and European vehicles today
- Base oil provides improved oxidative and thermal stability
- Additive chemistry provides high resistance to mechanical shear and fatigue

#### ECO ATF COMPATIBILITY LIST

Toyota	ATF T-IV ATF WS Dexron II, III JWS 3309 ATF
Lexus	ATF WS Dexron III JWS 3309 ATF
Nissan	Dexron III Matic S, K, J, D ATF M-III, M-V ATF SP-III
Infiniti	Dexron III Matic S, K, J, D
Honda	Dexron III ATF Z1 ATF DW-1
Acura	Dexron III ATF Z1 ATF DW-1
Subaru	Dexron III ATF HP ATF WS
Mazda	Dexron III ATF M-III, M-V ATF F-1, FZ Mercon, Mercon V JWS 3309, 3317 ATF
Mitsubishi	ATF II ATF SP-III ATF-J2, J3

PART NUMBERS	Quart Bottle	3103-300
	BIB (6 GA)	3103-400
	Drum	3103-110



### ENEOS 5W-40

ENEOS 5W-40 Fully Synthetic Motor Oil is 100% fully synthetic motor oil formulated with high-quality base oils and an optimized additive blend.

- Ideal for both fuel-injection and diesel engines
- API SN/CF

#### ENEOS 5W-40 COMPATIBILITY LIST

ACEA C3
MB 229.31 and 229.51
dexos2™
VW 50500 / 50501
BMW LL-04
Porsche A40

PART NUMBERS	Quart Bottle	3704-300
	5 Quart Bottle	3704-320



**ENEOS ECO CVT FLUID** is a fully synthetic continuously variable transmission (CVT) fluid formulated to provide superior fuel efficiency, ensure longer drain interval and optimize noise reduction. \*ENEOS ECO CVT FLUID is not compatible with toroidal and dry types of CVTs.

- Formulated to meet quality requirements for many types of Asian CVTs
- Optimizes friction characteristics to improve power transfer performance
- Applicable for both belt and chain pulley types of CVTs

ECO CVT COMPATIBILITY LIST	
Toyota	Toyota CVT Fluid TC Toyota CVT Fluid FE
Nissan	Nissan CVT Fluid NS-1 Nissan CVT Fluid NS-2 Nissan CVT Fluid NS-3 Nissan Matic D only for N-CVT Car
Infinity	CVT Fluid NS-3
Honda	Honda Genuine CVT Fluid Honda Genuine HCF-2 Transmission Fluid
Acura	Honda Genuine CVT Fluid Honda Genuine HCF-2 Transmission Fluid
Subaru	Subaru Certified CVTF-II Subaru ECVT Fluid / i-CVT Fluid Subaru i-CVT Fluid Subaru i-CVT Fluid FG Subaru CVT Fluid for Linear Tronik Subaru CVT Fluid for Linear Tronik II
Mazda	CVTF 3320 (JWS 3320)
Mitsubishi	Mitsubishi CVT Fluid J1 Mitsubishi CVT Fluid J4 Mitsubishi CVT Fluid J4+

PART NUMBERS	Quart Bottle	3026-300
	BIB (6 GA)	3026-400
	Drum	3026-110



## ENEOS 0W-20

ENEOS 0W-20 Fully Synthetic Motor Oil is 100% fully synthetic motor oil blended from high-performance hydro-refined base oils and an optimized additive blend to provide better fuel economy, and increased emission system durability.

- Provides excellent fuel economy and environmental protection
- Suitable for hybrids & LEVs
- API SN/RC, ILSAC GF-5
- dexos1™ Approved

ENEOS 0W-20 Fully Synthetic Motor Oil is dexos1™ approved, providing broad compatibility with domestic and import vehicles.



PART NUMBERS	Quart Bottle	3701-300
	5 Quart Bottle	3701-320
	BIB (6 GA)	3701-400
	Drum	3701-110



## ENEOS 5W-20

ENEOS 5W-20 Fully Synthetic Motor Oil is 100% fully synthetic motor oil that provides excellent engine cleanliness and wear resistance due to its high-performance base oil and additive blend.

- Outstanding fuel-saving properties
- Superior heat & oxidation stability
- API SN/RC, ILSAC GF-5

PART NUMBERS	Quart Bottle	3241-300
	5 Quart Bottle	3241-320
	BIB (6 GA)	3241-400
	Drum	3241-110