

SDS: A4138-E81US Date Prepared: 2017/05/26 Date Revised: 2021/12/01

Product Name: ENEOS ECO CVT FLUID

1. Identification

Product name:	ENEOS ECO CVT FLUID
Manufacturer/Supplier:	ENEOS USA, Inc.
Address:	20 N. Martingale RD. Suite 325, Schaumburg, IL 60173
Charge section:	Lubricants Sales Dept.
	TEL (Information): +1-847-413-2188
Emergency Telephone	3E: 1-800-451-8346
Number (US and	ID Number: 17406
Canada) :	Contact Available: 24/7/365
Recommended use and	
restrictions on use:	General industrial application

2. Hazards identification

Classification of the chemical in accordance with OSHA Hazard Communication Standard (29 CFR \S 1910. 1200)

Hazard category	Category
Flammable liquids	No Classification
Acute toxicity (oral)	No Classification
Acute toxicity (dermal)	No Classification
Acute toxicity(dust, mist)	No Classification
Skin sensitizer	Category 1
Aspiration hazard	No Classification
Acute hazards to the aquatic environment	Category 3

Chronic hazards to the aquatic environment Category 3

Label elements

Pictograms:



Signal word: Warning Hazard statement: May cause allergic skin reaction Harmful to aquatic life Harmful to aquatic life with long lasting effects Precautionary statements:

Prevention Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Do not allow the eyes to become exposed to the product. Do not swallow the product.



SDS: A4138-E81US Date Prepared: 2017/05/26 Date Revised: 2021/12/01

Product Name:	ENEOS ECO	CVT FLUID
	Response	Avoid release to the environment. Contaminated work clothing must not be allowed out of the workplace. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. If swallowed: Immediately call a poison center/doctor/ If swallowed: Rinse mouth. Do NOT induce vomiting. If the eyes are exposed to the product: Rinse the eyes with plenty of running water and immediately contact a physician. If on skin: Wash with plenty of water/ If skin irritation or rash occurs: Get medical advice/attention.
	Disposal	Take off contaminated clothing and wash it before reuse. The product must be stored in a cool, well-ventilated location where it will not be exposed to direct sunlight. Containers that have been opened must be tightly sealed. Dispose of contents/container in accordance with local/regional/national/international regulations. If there are any doubts about proper methods of handling the product, contact the point of purchase before proceeding with usage.
Emergency	overview:	PBT or vPvB : Not applicable

3. Composition/information on ingredients

3.1. Substances Not Applicable

3.2. Mixtures

Ingredients and Concentration

Chemical Name	Concentr ation wt.%	CAS#
Base Oil(s)	80-90	Trade Secret
Additives	<20	
1,3,4-Thiadiazole,2,5-bis(tert- nonyldithio)-	0. 1–0. 9	Trade Secret
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9- 11-isoalkyloxy) derivatives, C10-rich	0. 1–0. 9	Trade Secret
2-Propanol, 1-(tert-dodecylthio)-	0.1-0.9	Trade Secret
N-Phenyl-1-Naphthylamine	0.1–0.9	Trade Secret



SDS: A4138-E81US Date Prepared: 2017/05/26 Date Revised: 2021/12/01

Product Name: ENEOS ECO CVT FLUID

4. First-aid measures

Inhalation:	If inhaled: Remove person to fresh air and keep comfortable for breathing.
	Cover the body with blankets to keep warm and quiet. If you feel unwell, seek medical advice.
Skin contact:	Immediately flush skin with large amounts of water.
	Wash contaminated clothing before reuse.
	If skin irritation occurs: Get medical advice/attention.
Eye contact:	Rinse with clean water carefully for several minutes. Remove contact lenses if present and if removal is easy, then continue rinsing. Rinse for 15 minutes at a minimum and seek medical attention.
Ingestion:	Do not induce vomiting. Drink [one glass] [two glasses] of water. Call a physician [or poison control center] immediately.
Most important symptoms/effects, acute and delayed.	May cause allergic skin reaction. Dermatis. Rash.
Protection for first aid person:	No information.

5. Fire-fighting measures

Suitable extinguishing media: Unsuitable extinguishing media: Specific hazards arising from the chemical:	Mist of loaded liquid, dry chemicals, carbon dioxide, fire foam, and dry sand are effective. Use of straight stream of water can cause a risk of spreading fire. In some cases of fire, may release irritant gases. When burnt, may generate carbon monoxide and other toxic gases.
Specific extinguishing methods:	Spray water to the surrounding facilities for cooling.
Special protective equipment and precautions for fire fighters:	Keep unauthorized persons off the site of occurrence of fire and the surroundings. Even after extinction, cool containers thoroughly with plenty of water. Wear fire/flame resistant/retardant clothing.
	Fight fire from windward direction while wearing protective equipment. If contact with skin is expected, wear impervious protective equipment and gloves. Use air-breathing apparatus and protective clothing whenever necessary.



SDS: A4138-E81US Date Prepared: 2017/05/26 Date Revised: 2021/12/01

Product Name: ENEOS ECO CVT FLUID

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:	Wear protective equipment when working.
	Remove nearby potential ignition sources immediately.
	When mist is generated, use respiratory equipment to prevent inhalation of mist.
	Do not touch or walk through spillage.
	Pay attention to the site of spillage, which is slippery.
Environmental precautions:	Avoid release to the environment.
	Prevent spreading of oil spill with earth and sand, sandbags, or other proper materials and use care not to allow the oil spill to flow to street drains, sewer systems, and rivers.
	At sea, install oil spill containment booms to prevent spreading of spills and absorb with absorption mat or other proper materials.
Methods and materials for containment and cleaning up:	In case of spillage in small quantity, collect spillage by absorbing with earth, sand, sawdust, waste, or other proper materials.
	In case of spillage in large quantity, enclose with embankment to prevent spreading of spillage and collect spillage in empty containers to the extent possible.
Prevention of second accident:	In case of spillage, immediately inform the organizations concerned of the spillage to prevent possible accidents and spreading of spillage.
	Remove nearby potential ignition sources immediately and make fire-extinguishing agents available. Remove spillage completely, and ventilate and clean the site and the surroundings.

7. Handling and storage

Handling

Technical measures: Keep away from any possible contact with sparks, open flames, and high-temperature materials, and do not allow release of vapor without justification. Use pumps or other proper equipment for taking out from containers. Do not siphon with your mouth using a tube. Do not drink. When mist is generated, use respiratory equipment to prevent inhalation of mist.



Product Name:

SAFETY DATA SHEET

ENEOS ECO CVT FLUID

SDS: A4138-E81US Date Prepared: 2017/05/26 Date Revised: 2021/12/01

		In case of vapor/mist dispersion, install a closed system, local ventilation system, and/or other proper equipment for the sources of vapor/mist generation.
		Avoid rough handling of containers such as falling, dropping, exposing to shock, and dragging.
	Ventilation requirements:	Maintain adequate ventilation when handling indoors.
	Precautions for safe handling:	Avoid falling, dropping, exposing to shock, or dragging of containers.
		Wash hands and face thoroughly after handling. Be careful with fire.
		Wear protective gloves when opening containers to eliminate a risk of hand injury.
	Contact avoidance:	Use care to keep away from any possible contact with halogens, strong acids, alkalis, and acidifying substances.
		Contact with and storage in the same location of halogens, strong acids, alkali and oxidized substances must be avoided.
	Hygiene measures:	After handling Wash hands thoroughly.
Storage		
	Storage conditions:	Store in a well ventilated, cool, dry, dark place, protecting from direct sunlight and keeping away from any potential ignition sources and high-temperature materials.
		Store tightly stopped after use to prevent possible contamination with dust and moisture.
		Preferably store locked up in a proper storage area.
	Safety adequate container materials:	Use spill-proof containers that are free of damage/corrosion.

8. Exposure controls/personal protection

Appropriate engineering controls: In case of mist generation, enclose the source of mist generation, or install a ventilation system. Install eye cleaning and body cleaning equipment near the handling site.



SDS: A4138-E81US Date Prepared: 2017/05/26 Date Revised: 2021/12/01

Product Name: ENEOS ECO CVT FLUID

Control parameters

Chemical Name	U.S. – OSHA			ACGIH	
onenn ca'r Nane	Ceiling	STEL	TWA	TLV-STEL	TLV-TWA
Base Oil(s)	-ppm -mg/m3	-ppm -mg/m3	−ppm −mg/m3	-ppm -mg/m3	-ppm 5mg/m3(Mi neral Oil Mist)
1,3,4-Thiadiazole, 2,5-bis(tert-nonyldithio)-	-ppm	-ppm	-ppm	-ppm	-ppm
	-mg/m3	-mg/m3	-mg/m3	-mg/m3	-mg/m3
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-	-ppm	-ppm	-ppm	-ppm	-ppm
isoalkyloxy) derivatives, C10-rich	-mg/m3	-mg/m3	-mg/m3	-mg/m3	-mg/m3
2-Propanol, 1-(tert-dodecylthio)-	-ppm	-ppm	-ppm	-ppm	-ppm
	-mg/m3	-mg/m3	-mg/m3	-mg/m3	-mg/m3
N-Phenyl-1-Naphthylamine	-ppm	-ppm	-ppm	-ppm	-ppm
	-mg/m3	-mg/m3	-mg/m3	-mg/m3	-mg/m3

Personal protective equipment

Respira protect		Not needed under normal conditions, but wear a gas mask (against organic gases) whenever required.
Hand pr	otection:	In case of prolonged or repeated exposure, wear oil-resistant hand protection.
Eye/fac	e protection:	In case of exposure to splashes, wear ordinary type goggles.
Skin pr	otection:	In case of handling over a prolonged period of time or in case of exposure to oil, wear oil-resistant, long-sleeved work clothing.
e measures:		Take off contaminated clothing and wash thoroughly before reuse.
		Wash hands thoroughly after handling.

9. Physical and chemical properties

Product

Hygiene

Appearance:LiquidForm:LiquidColor:BlueOdor:Slight odorMelting point/freezing
point:Pour Point-45(°C)Initial boiling point
and boiling range:No data



SDS: A4138-E81US Date Prepared: 2017/05/26 Date Revised: 2021/12/01

Product Name: ENEOS ECO CVT FLUID

No data Flammability (solid, gas): No data Upper/lower flammability or explosive limits: Flash point: ≥180(°C)Cleveland Open Cup Estimate200-Auto-ignition 410 (°C) temperature: Decomposition No data. temperature: pH: No data Kinematic viscosity: $>20.5 (mm2/sec) (40^{\circ}C)$ Solubility: water : Insoluble. Partition coefficient: No data. n-octanol/water: Vapour pressure: No data Density (g/cm3): 0.853(15°C) Vapour density: No data. No data Particle characteristics: Relative density: No data. Viscosity: No data.

10. Stability and reactivity

Reactivity: Chemical stability: Possibility of hazardous reactions:	Stable when stored or preserved in a dark place at room temperature. Stable when stored or preserved in a dark place at room temperature. Keep away from any possible contact with strong oxidizing agents.	
Conditions to avoid:	Contact with incompatible hazard substances	
	Prolonged heating, open flames, and ignition sources	
Incompatible materials:	Use care to keep away from any possible contact with halogens, strong acids, alkalis, and acidifying substances.	
Hazardous decomposition products:	When burnt, may release carbon monoxide and other gases.	

11. Toxicological information

Symptoms related to the physical, chemical May cause allergic skin reaction. Dermatitis. Rash. and toxicological characteristics :

ENEOS USA Inc.

Product Name:

SAFETY DATA SHEET

ENEOS ECO CVT FLUID

SDS: A4138-E81US Date Prepared: 2017/05/26 Date Revised: 2021/12/01

Delayed and immediate effects and also chronic effects from short- and long- term exposure:		<u>Short term exposure:</u> Potential immediate effects : No information Potential delayed effects : No information <u>Long term exposure:</u> Potential immediate effects : No information Potential delayed effects : No information
Product		
Acute	toxicity (oral):	No Classification
		For mixtures, hazard category was identified based on the classification criteria for mixtures.
Acute	toxicity (dermal):	No Classification
		For mixtures, hazard category was identified based on the classification criteria for mixtures.
Acute	toxicity (inhalation):	Classification not possible (Gas) Classification not possible (Vapour) No Classification (Dust/Mist)
		For mixtures, hazard category was identified based on the classification criteria for mixtures.
Skin d	corrosion/irritation:	Classification not possible
		For mixtures, hazard category was identified based on the classification criteria for mixtures.
Seriou	us eye damage/irritation:	Classification not possible
Respir	ratory sensitization:	For mixtures, hazard category was identified based on the classification criteria for mixtures. Classification not possible
		For mixtures, hazard category was identified based on the classification criteria for mixtures.
Skin s	sensitization:	Category 1
Mutage	enicity:	For mixtures, hazard category was identified based on the classification criteria for mixtures. Classification not possible
		For mixtures, hazard category was identified based on the classification criteria for mixtures.
Carcir	nogenicity:	Classification not possible
		For mixtures, hazard category was identified based on the classification criteria for mixtures.
Reproc	ductive toxicity:	Classification not possible
		For mixtures, hazard category was identified based on the classification criteria for mixtures.
Target exposu	t organ effect/Single µre:	Classification not possible

ENEOS ENEOS USA Inc.

SAFETY DATA SHEET

SDS: A4138-E81US Date Prepared: 2017/05/26 Date Revised: 2021/12/01

Produ	ct Name: ENEOS ECO CVT FLUI	Date Revised: 2021/12/01 D
		For mixtures, hazard category was identified based on th classification criteria for mixtures.
	Target organ effect/Multi exposure:	Classification not possible
		For mixtures, hazard category was identified based on the classification criteria for mixtures.
	Respiratory toxic:	No Classification For mixtures, hazard category was identified based on th
	Other information:	classification criteria for mixtures. No information for mixtures.
ngredient ase Oil(s)		
	Acute toxicity (oral):	No Classification LC50: > 5000 mg/kg[rat]
	Acute toxicity (dermal):	No Classification LC50:> 5000 mg/kg[rat]
	Acute toxicity (inhalation):	Exempt classification (Gas) Exempt classification (Vapour) No Classification (Dust/Mist) LC50:> 5 mg/L[rat]
	Skin corrosion/irritation:	No Classification
	Serious eye damage/irritation:	No Classification Practically None
	Respiratory sensitization:	Classification not possible
	Skin sensitization:	No Classification None Buehler method [guinea pig]
	Mutagenicity:	No Classification Ames Test:Negative
	Carcinogenicity:	No Classification EU:Category 2 : R45 need not apply. (NOTE L is Applicable)
		IARC: 3
	Reproductive toxicity:	No Classification
	Target organ effect/Single exposure:	No Classification
	Target organ effect/Multi exposure:	No Classification
3 4-Thiad	Respiratory toxic: iazole, 2,5-bis(tert-nonyldithio)	No Classification
, , , , , , , , , , , , , , , , , , ,	Acute toxicity (oral):	LD50:> 10000 mg/kg[rat]
	Acute toxicity (dermal):	LD50: > 2000 mg/kg[rabbit]
	Acute toxicity (inhalation):	(Vapour) LC50: > 2.75 mg/L[rat]
2-Propanol.	1-(tert-dodecylthio)-	



SDS: A4138-E81US Date Prepared: 2017/05/26 Date Revised: 2021/12/01

Product Name: ENEOS ECO CVT FLUID

Acute toxicity (oral):	LD50:> 5000 mg/kg[rat]
Acute toxicity (dermal):	LD50:> 2000 mg/kg[rabbit]
N-Phenyl-1-Naphthylamine	
Acute toxicity (oral):	LD50: 1625~2000 mg/kg[rat]
Acute toxicity (dermal):	LD50:> 5000 mg/kg[rabbit], LD50:> 8000 mg/kg[rabbit]
Acute toxicity (inhalation):	Effect on animals: No relevant information found
Skin corrosion/irritation:	Mild [rabbit]
	Effect on animals: No relevant information found
Serious eye damage/irritation:	None [rabbit]
	Effect on animals: No relevant information found
Respiratory sensitization:	Effect on person: No relevant information found
Skin sensitization:	Effect on animals: No relevant information found
Mutagenicity:	Negative
Carcinogenicity:	Classification not possible
Reproductive toxicity:	No Data
Respiratory toxic:	Effect on person: No relevant information found

12. Ecological information

Product

Ecotoxicity				
Acute toxicity:	Category 3			
Fish acute toxicity:	For mixtures, hazard category was identified based on the classification criteria for mixtures.			
Daphnia acute toxicity:	No information.			
Algae acute toxicity:	For mixtures, hazard category was identified based on the classification criteria for mixtures.			
Chronic toxicity:	Category 3			
Fish chronic toxicity:	For mixtures, hazard category was identified based on the classification criteria for mixtures.			
Daphnia chronic toxicity:	No information.			
Algae chronic toxicity:	For mixtures, hazard category was identified based on the classification criteria for mixtures.			
Persistence and degradability:	No information available on mixtures			
Bioaccumulative potential : No information for mixtures. Mobility in soil: No information for mixtures. Dangerous for the ozone layer: Classification not possible				
Other impact:	No information for mixtures.			

Ingredient Base Oil(s)



SDS: A4138-E81US Date Prepared: 2017/05/26 Date Revised: 2021/12/01

Product Name: ENEOS ECO CVT FLUID

Ecotoxicity Acute toxicity: Fish acute toxicity: Daphnia acute toxicity: Chronic toxicity: Dangerous for the ozone layer:	No Classification 96hLC50:> 5000 mg/L[Oncorhynchus mykiss] 48hEC50:> 1000 mg/L[Daphnia magna] No Classification Classification not possible
N-Phenyl-1-Naphthylamine	
Ecotoxicity	
Acute toxicity:	
Fish acute toxicity:	96hrLC50: 0.7 mg/L[Oryzias latipes]
Daphnia acute toxicity:	No data
Algae acute toxicity:	72hrEC50: 0.034 mg/L[Selenastrum capricornutum]
Chronic toxicity:	
Fish chronic toxicity:	No Data
Daphnia chronic toxicity:	No Data
Algae chronic toxicity:	72hrNOEC: 0.0036 mg/L[Selenastrum capricornutum]
Bioaccumulative potential:	Moderate bioconcentration

13. Disposal considerations

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Every customer/user of the product should dispose of industrial waste on its own responsibility, otherwise it must rely on a company authorized by prefectural governor for treating industrial waste or a local public body involved in the disposal of industrial waste for proper disposal.

Before disposal of used container, remove contents completely.

14. Transport information

IATA	UN number: Proper shipping name:		regulated regulated
	Packing group:	Not	regulated
IMDG	UN number:	Not	regulated
	Proper shipping name:	Not	regulated
	Packing group:	Not	regulated



SDS: A4138-E81US Date Prepared: 2017/05/26 Date Revised: 2021/12/01

Product Name:

ENEOS ECO CVT FLUID

Domestic restriction: No information. Specific security Transport containers without causing any significant friction or shaking. of transportation:

15. Regulatory information

US California Proposition 65 None of the ingredients is listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA TitleII) None present or none present in regulated concentrations.

Australia(AICS) :	All components are listed or exempted.
Canada(DSL) :	All components are listed or exempted.
China(IECSC) :	All components are listed or exempted.
EU (REACH) :	In the case where one or more components are not listed or, even if listed, in the case of importing to the country or area concerned, an application or notification is required.
Korea(KECL):	All components are listed or exempted.
New Zealand(NZIoC):	One or more components are not listed.
Philippines(PICCS):	All components are listed or exempted.
Taiwan(TCSI):	All components are listed or exempted.
USA(TSCA):	All components are listed or exempted.

16. Other information

NFPA	Health hazard rating blue:0,Flammability hazard rating:1
HMIS	Health Ratings:0,Flammability Ratings:1
Date Prepared:	2021/12/01
Reference	No information.
Disclaimer:	We at ENEOS Corporation have prepared the copyrighted Safety Data Sheet to provide reference information on the hazardous chemical product of interest for our customers/users to ensure secure and safe handling. We would like every customer/user of the product to refer to the information and understand the necessity of taking appropriate measures for the actual handling conditions on their own responsibilities for optimum practical application of the product of interest. Consequently, the Safety Data Sheet is not intended to guarantee the safety of the product referenced to herein.