

SDS: A4144-E81US+

Date Prepared: 2017/10/31 Date Revised: 2021/12/01

ENEOS Import ATF MODEL T-W Product Name:

1. Identification

Product name: ENEOS Import ATF MODEL T-W

Manufacturer/Supplier: ENEOS USA, Inc.

20 N. Martingale RD. Suite 325, Schaumburg, IL. 60173 Address:

Lubricants Sales Dept. Charge section:

TEL (Information): +1-847-413-2188

3E: 1-800-451-8346 Emergency Telephone ID Number: 17406 Number (US and

Canada): Contact Available: 24/7/365 General industrial application Recommended use and

restrictions on use:

2. Hazards identification

Classification of the chemical in accordance with OSHA Hazard Communication Standard (29 CFR § 1910. 1200)

Hazard category Category

> Flammable liquids No Classification No Classification Acute toxicity (oral) Acute toxicity (dermal) No Classification Acute toxicity (dust, mist) No Classification No Classification Aspiration hazard

Acute hazards to the aquatic environment Category 3

Category 3

environment

Label elements

Pictograms: Not applicable Signal word: Not applicable

Hazard statement: Harmful to aquatic life

Harmful to aquatic life with long lasting effects

Precautionary statements:

Chronic hazards to the aquatic

Prevention Do not handle until all safety precautions have been read and

understood.

Wear protective gloves/protective clothing/eye protection/face

protection.

Do not allow the eyes to become exposed to the product. Do not

swallow the product.

Avoid release to the environment. Wash hands thoroughly after

handling.

Do not eat, drink or smoke when using this product.

Response If swallowed: Immediately call a poison

center/doctor/...

If swallowed: Rinse mouth. Do NOT induce vomiting.

If the eyes are exposed to the product: Rinse the eyes with plenty

of running water and immediately contact a physician.



SDS: A4144-E81US+

Date Prepared: 2017/10/31 Date Revised: 2021/12/01

Product Name: ENEOS Import ATF MODEL T-W

If on skin: Wash with plenty of water/...

Storage The product must be stored in a cool, well-ventilated location

where it will not be exposed to direct sunlight.

Containers that have been opened must be tightly s e a l e d.

Disposal Dispose of contents/container in accordance with

local/regional/national/international

regulations.

If there are any doubts about proper methods of handling the product, contact the point of purchase before proceeding with

usage.

Emergency overview: PBT or vPvB : Not applicable

3. Composition/information on ingredients

3.1. Substances Not Applicable

3.2. Mixtures

Ingredients and Concentration

Chemical Name	Concentration wt.%	C
		A S #
Base Oil(s)	80-90	Trade Secret
Additives	<20	
3-(decyloxy) tetrahydrothiophene 1, 1-dioxide	0. 1-0. 9	Trade Secret
Reaction product of alkylthicalcohol and substituted phosphorus compound	0. 1–0. 9	Trade Secret
2, 5-bis (tert-nonyldithio)-1, 3, 4-thiadiazole	0. 1-0. 9	Trade Secret

4. First-aid measures

Inhalation: If inhaled: Remove person to fresh air and keep comfortable for

breathing.

Cover the body with blankets to keep warm and quiet. If you feel

unwell, seek medical advice.

Skin contact: Immediately flush skin with large amounts of water.

Wash contaminated clothing before reuse.

If skin irritation occurs: Get medical a d v i c e /attention.

Eye contact: Rinse with clean water carefully for several minutes. Remove

contact lenses if present and if removal is easy, and then continue rinsing. Rinse for 15 minutes at a minimum and seek

medical attention.

Ingestion: Do not induce vomiting. Drink [one glass] [two glasses] of water.

Call a physician [or poison control

center] immediately.



SDS: A4144-E81US+

Date Prepared: 2017/10/31 Date Revised: 2021/12/01

Product Name: ENEOS Import ATF MODEL T-W

Most important symptoms/effects,

acute and delayed.

May cause allergic skin reaction. Dermatis. Rash.

Protection for first aid person: No information.

5. Fire-fighting measures

Suitable extinguishing media: Mist of loaded liquid, dry chemicals, carbon dioxide, fire foam,

and dry sand are effective.

Unsuitable extinguishing media: Use of straight stream of water can cause a risk of spreading

fire.

Specific hazards arising from the

chemical:

In some cases of fire, may release irritant gases.

When burnt, may generate carbon monoxide and other toxic gases.

Specific extinguishing methods: Spray water to the surrounding facilities for cooling.

Keep unauthorized persons off the site of occurrence of fire and

the surroundings.

Even after extinction, cool containers thoroughly with plenty of

water.

Special protective equipment and precautions for fire fighters:

Wear fire/flame resistant/retardant clothing.

Fight fire from windward direction while wearing protective equipment. If contact with skin is expected, wear impervious

protective equipment and gloves.

Use air-breathing apparatus and protective clothing whenever

necessary.

6. Accidental release measures

Personal precautions, protective equipment and emergency

procedures:

Wear protective equipment when working.

Remove nearby potential ignition sources immediately. When mist is generated, use respiratory equipment to prevent

inhalation of mist.

Do not touch or walk through spillage.

Pay attention to the site of spillage, which is slippery.

Environmental precautions: Avoid release to the environment.

Prevent spreading of oil spill with earth and sand, sandbags, or other proper materials and use care not to allow the oil spill to

flow to street drains, sewer systems, and rivers.

At sea, install oil spill containment booms to prevent spreading

of spills and absorb with absorption mat or other proper

materials.

Methods and materials for containment and cleaning up:

In case of spillage in small quantity, collect spillage by absorbing with earth, sand, sawdust, waste, or other proper

materials.



SDS: A4144-E81US+

Date Prepared: 2017/10/31 Date Revised: 2021/12/01

Product Name: ENEOS Import ATF MODEL T-W

In case of spillage in large quantity, enclose with embankment to

prevent spreading of spillage and collect spillage in empty

containers to the extent possible.

Prevention of second accident: In case of spillage, immediately inform the organizations

concerned of the spillage to prevent possible accidents and

spreading of spillage.

Remove nearby potential ignition sources immediately and make fire-extinguishing agents available. Remove spillage completely, and ventilate and clean the site and the surroundings.

7. Handling and storage

Handling

Technical measures: Keep away from any possible contact with sparks, open flames, and

high-temperature materials, and do not allow release of vapor

without justification.

Use pumps or other proper equipment for taking out from

containers. Do not siphon with your mouth using a tube. Do not

drink.

When mist is generated, use respiratory equipment to prevent

inhalation of mist.

In case of vapor/mist dispersion, install a closed system, local

ventilation system, and/or other proper equipment for the sources

of vapor/mist generation.

Avoid rough handling of containers such as falling, dropping,

exposing to shock, and dragging.

Ventilation Maintain adequate ventilation when handling indoors.

requirements:

Precautions for safe

handling:

Avoid falling, dropping, exposing to shock, or dragging of

containers.

Wash hands and face thoroughly after handling.

Be careful with fire.

Wear protective gloves when opening containers to eliminate a risk

of hand injury.

Contact avoidance: Use care to keep away from any possible contact with halogens,

strong acids, alkalis, and acidifying substances.

Contact with and storage in the same location of halogens, strong

acids, alkali and oxidized substances must be a voided.

Hygiene measures: After handling Wash hands thoroughly.

Storage

Storage conditions: Store in a well-ventilated, cool, dry, dark place, protecting from

direct sunlight and keeping away from any potential ignition

sources and high-temperature materials.

Store tightly stopped after use to prevent possible contamination

with dust and moisture.

Preferably, store locked up in a proper storage a r e a .



SDS: A4144-E81US+

Date Prepared: 2017/10/31 Date Revised: 2021/12/01

ENEOS Import ATF MODEL T-W Product Name:

> Safety adequate container materials:

Use spill-proof containers that are free of damage/corrosion.

8. Exposure controls/personal protection

Appropriate engineering controls: In case of mist generation, enclose the source of mist generation,

or install a ventilation system.

Install eye cleaning and body cleaning equipment near the handling

site.

Control parameters

Chemical Name		U.S. – OSHA			ACGIH	
		STEL	TWA	TLV-STEL	TLV-TWA	
Base Oil(s)	-ppm -mg/m3	-ppm -mg/m3	-ppm -mg/m3	-ppm -mg/m3	-ppm 5mg/m3(Mi neral Oil Mist)	
3-(decyloxy)tetrahydrothiophene 1,1-dioxide	-ppm	-ppm	-ppm	-ppm	-ppm	
	-mg/m3	-mg/m3	-mg/m3	-mg/m3	-mg/m3	
Reaction product of alkylthioalcohol and substituted phosphorus compound	-ppm	-ppm	-ppm	-ppm	-ppm	
	-mg/m3	-mg/m3	-mg/m3	-mg/m3	-mg/m3	
2,5-bis(tert-nonyldithio)-1,3,4-thiadiazole	-ppm	-ppm	-ppm	-ppm	-ppm	
	-mg/m3	-mg/m3	-mg/m3	-mg/m3	-mg/m3	

Personal protective equipment

Respiratory Not needed under normal conditions, but wear a gas mask (against

protection: organic gases) whenever required.

Hand protection: In case of prolonged or repeated exposure, wear oil-resistant hand

protection.

Eye/face protection: In case of exposure to splashes, wear ordinary type g o g g l e s . Skin protection:

In case of handling over a prolonged period or in case of exposure to

oil, wear oil-resistant, long-sleeved work

Hygiene measures: Take off contaminated clothing and wash thoroughly before reuse.

Wash hands thoroughly after handling.

9. Physical and chemical properties

Product

Liquid Appearance: Form: Liquid Color: Red



SDS: A4144-E81US+

Date Prepared: 2017/10/31 Date Revised: 2021/12/01

ENEOS Import ATF MODEL T-W Product Name:

> Slight odor Odor:

Melting point/freezing

point:

No data

Initial boiling point

and boiling range:

Flammability (solid,

No data

gas):

Upper/lower No data

flammability or explosive limits:

Flash point: ≥170(°C)Cleveland Open Cup Estimate 200-

Pour Point-48 (°C)

Auto-ignition 410 (°C)

temperature:

Decomposition

No data. temperature:

:Hq

No data Kinematic viscosity:

>20.5 (mm2/sec) (40°C) Solubility: water : Insoluble.

Partition coefficient:

n-octanol/water:

No data.

Vapour pressure:

No data Density (g/cm3): 0.8499 (15°C) Vapour density: No data. Particle

characteristics:

No data

Relative density: Viscosity:

No data. No data.

10. Stability and reactivity

Reactivity: Stable when stored or preserved in a dark place at room temperature. Chemical stability: Stable when stored or preserved in a dark place at room temperature. Keep away from any possible contact with strong oxidizing Possibility of hazardous

reactions:

Contact with incompatible hazard substances Prolonged Conditions to avoid:

heating, open flames, and ignition sources

Incompatible materials: Use care to keep away from any possible contact with halogens, strong

acids, alkalis, and acidifying substances.

Hazardous decomposition

products:

When burnt, may release carbon monoxide and other g a s e s .

11. Toxicological information

Symptoms related to the physical, chemical May cause allergic skin reaction. Dermatitis. Rash. and toxicological characteristics:



SDS: A4144-E81US+

Date Prepared: 2017/10/31 Date Revised: 2021/12/01

Product Name: ENEOS Import ATF MODEL T-W

Delayed and immediate effects and chronic

effects from short- and long- term

exposure:

Short-term exposure:

Potential immediate effects: No information Potential delayed effects: No information

Long-term exposure:

Potential immediate effects: No information Potential delayed effects: No information

Product

Acute toxicity (oral): No Classification

For mixtures, hazard category was identified based on

the classification criteria for mixtures.

Acute toxicity (dermal): No Classification

For mixtures, hazard category was identified based on

the classification criteria for mixtures.

Acute toxicity (inhalation): Classification not possible (Gas)

Classification not possible (Vapour)
No Classification (Dust/Mist)

For mixtures, hazard category was identified based on

the classification criteria for mixtures.

Skin corrosion/irritation: Classification not possible

For mixtures, hazard category was identified based on

the classification criteria for mixtures.

Serious eye damage/irritation: Classification not possible

For mixtures, hazard category was identified based on

the classification criteria for mixtures.

Respiratory sensitization: Classification not possible

For mixtures, hazard category was identified based on

the classification criteria for mixtures.

Skin sensitization: Classification not possible

For mixtures, hazard category was identified based on

the classification criteria for mixtures.

Mutagenicity: Classification not possible

For mixtures, hazard category was identified based on

the classification criteria for mixtures.

Carcinogenicity: Classification not possible

For mixtures, hazard category was identified based on

the classification criteria for mixtures.

Reproductive toxicity: Classification not possible

For mixtures, hazard category was identified based on

the classification criteria for mixtures.

Target organ effect/Single

exposure:

Classification not possible

For mixtures, hazard category was identified based on

the classification criteria for mixtures.

Target organ effect/Multi

exposure:

Classification not possible

For mixtures, hazard category was identified based on

the classification criteria for mixtures.

Respiratory toxic: No Classification



SDS: A4144-E81US+

Date Prepared: 2017/10/31 Date Revised: 2021/12/01

ENEOS Import ATF MODEL T-W Product Name:

Acute toxicity (dermal):

For mixtures, hazard category was identified based on

the classification criteria for mixtures.

No information for mixtures. Other information:

Ingredient Base Oil(s)

> Acute toxicity (oral): No Classification LC50:

> 5000 mg/kg[rat] No Classification

LC50: > 5000 mg/kg[rat]Acute toxicity (inhalation): Exempt classification (Gas)

Exempt classification (Vapour) No Classification (Dust/Mist)

LC50:> 5 mg/L[rat]

No Classification Skin corrosion/irritation:

Serious eye damage/irritation: No Classification

Practically None

Respiratory sensitization: Classification not possible

Skin sensitization: No Classification

None Buehler method [guinea pig]

Mutagenicity: No Classification

Ames Test: Negative

No Classification

Carcinogenicity: No Classification

EU: Category 2: R45 need not apply. (NOTE L is

Applicable), IARC:3

No Classification

Reproductive toxicity:

Target organ effect/Single

exposure:

No Classification Target organ effect/Multi

exposure:

No Classification Respiratory toxic:

Reaction product of alkylthioalcohol and substituted phosphorus compound

Acute toxicity (dermal): Category 5 Skin corrosion/irritation: Category 1B

12. Ecological information

Product

Ecotoxicity

Acute toxicity:

Fish acute toxicity: For mixtures, hazard category was identified based on

the classification criteria for mixtures.

Daphnia acute toxicity: No information

Algae acute toxicity: For mixtures, hazard category was identified based on

the classification criteria for mixtures.



SDS: A4144-E81US+

Date Prepared: 2017/10/31 Date Revised: 2021/12/01

Product Name: ENEOS Import ATF MODEL T-W

Chronic toxicity: Category 3

Fish chronic toxicity: For mixtures, hazard category was identified based on

the classification criteria for mixtures.

Daphnia chronic toxicity: No information

Algae chronic toxicity: For mixtures, hazard category was identified based on

the classification criteria for mixtures.

Persistence and degradability: No information available on mixtures

Bioaccumulative potential:

Mobility in soil:

No information for mixtures.

No information for mixtures.

Classification not possible

Other impact: No information for mixtures.

Ingredient Base Oil(s)

Ecotoxicity

Acute toxicity: No Classification

Fish acute toxicity: 96hLC50:> 5000 mg/L[Oncorhynchus mykiss]

Daphnia acute toxicity: 48hEC50:> 1000 mg/L[Daphnia magna]

Chronic toxicity: No Classification

Dangerous for the ozone layer: Classification not possible

3-(decyloxy) tetrahydrothiophene 1, 1-dioxide

Ecotoxicity

Acute toxicity: No Data
Chronic toxicity: Category 2

Reaction product of alkylthioalcohol and substituted phosphorus compound

Ecotoxicity

Acute toxicity: Category 1
Chronic toxicity: Category 1

13. Disposal considerations

Disposal Dispose of contents/container in accordance with local/regional/national/international

methods: regulations.

Every customer/user of the product should dispose of industrial waste on its own responsibility; otherwise, it must rely on a company authorized by prefectural governor for treating industrial waste or a local public body involved in the disposal of

industrial waste for proper disposal.

Before disposal of used container, remove contents completely.

14. Transport information

IATA UN number: Not regulated

shaking.



SAFETY DATA SHEET

SDS: A4144-E81US+

Date Prepared: 2017/10/31 Date Revised: 2021/12/01

Product Name: ENEOS Import ATF MODEL T-W

Proper

Not regulated

shipping name:

Packing

Not regulated

group:

IMDG UN number:

Not regulated

Proper shipping

Not regulated

shipping name:

Packing

Not regulated

group:

Domestic restriction:

No information.

Specific security precaution and condition

Transport containers without causing any significant friction or

of transportation:

15. Regulatory information

US California Proposition 65

None of the ingredients is listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA TitleⅢ)

None present or none present in regulated

concentrations.

Australia (AICS):

Canada (DSL):

All components are listed or exempted.

China (IECSC):

All components are listed or exempted.

All components are listed or exempted.

EU(REACH): In the case where one or more components are not listed or, even if listed,

in the case of importing to the country or area concerned, an application

or notification is required.

Korea (KECL):

New Zealand (NZIoC):

Philippines (PICCS):

Taiwan (TCSI):

USA (TSCA):

All components are listed or exempted.

16. Other information

NFPA Health hazard rating blue:0, Flammability hazard rating:1

HMIS Health Ratings: 0, Flammability Ratings: 1

Date Prepared: 2021/12/01 Reference No information.



SDS: A4144-E81US+

Date Prepared: 2017/10/31 Date Revised: 2021/12/01

Product Name: ENEOS Import ATF MODEL T-W

Disclaimer:

We at ENEOS Corporation have prepared the copyrighted Safety Data Sheet to provide reference information on the hazardous chemical product of interest for our customers/users to ensure secure and safe h a n d l i n g . We would like every customer/user of the product to refer to the information and understand the necessity of responding appropriately for

the actual handling conditions on their own responsibilities for optimum

practical application of the product of interest.

Consequently, the Safety Data Sheet is not intended to guarantee the safety

of the product referenced to herein.