



ENEOS

PRODUCT CATALOG



OE EXPERTISE FOR
OE PERFORMANCE

www.eneos.us

OBSESSION WITH QUALITY

Established in 1888 and headquartered in Tokyo, **ENEOS**

is Japan's largest oil company, with manufacturing and sales facilities throughout the world. With a unique position in its home market, ENEOS has worked with Japan's automakers and leading race teams for decades,

creating advanced lubricants with vehicle engineers to provide optimum fuel economy with maximum power and long-term protection.



OEM PARTNERSHIPS

With our approach tailored to each manufacturer, ENEOS partnerships begin with an invitation from an automotive manufacturer to develop vehicle-specific lubricants.

ENEOS provides:

- In-house testing facilities that follow strategies developed with each OEM partner to meet its ideal oil specifications
- Factory fill and/or service fill lubricants are supplied to the majority of vehicle manufacturers throughout Asia



ENEOS engine and transmission oils are designed to anticipate future requirements beyond current domestic standards. The result of our development helps to ensure vehicles leave the factory with the highest possible specification in terms of fuel economy, emissions, performance and durability. And ENEOS can provide the same standard of lubrication to help ensure peak performance throughout the vehicle's life thanks to our range of service oils.



RACING DEVELOPMENT

In addition to its OEM partnerships, ENEOS has a long history of motorsports involvement at the highest level. This has allowed us to focus on engine and transmission oil development, which has been tested and proven under intense competition.

Our obsession with quality and innovation is more than just a statement – it's why we've been trusted by OEMs for almost half a century.

ENEOS PRODUCT LINES

ENEOS MOTOR OIL	QUART	5 QT	BIB (6 GAL)	DRUM
X Prime 0W-8	3000-300			
0W-16	3251-300	—	3251-400	3251-110
0W-20	3701-300	3701-320	3701-400	3701-110
5W-20	3241-300	3241-320	3241-400	3241-110
5W-30	3703-300	3703-320	3703-400	3703-110
5W-40	3704-300	3704-320	3704-400	3704-110

ENEOS ECO SERIES				
ECO ATF PLUS	3111-300	3111-320	3111-400	3111-110
ECO CVTF	3026-300	3026-320	3026-400	3026-110

ENEOS IMPORT SERIES				
IMPORT ATF MODEL H	3105-300	—	—	—
IMPORT ATF MODEL N	3106-300	—	—	—
IMPORT ATF MODEL SP PLUS	3109-300	—	—	—
IMPORT ATF MODEL T-W	3107-300	—	—	—
IMPORT CVTF MODEL H	3072-300	—	—	—
IMPORT CVTF MODEL N PLUS	3058-300	—	—	—
IMPORT CVTF MODEL S	3074-300	—	—	—
IMPORT CVTF MODEL T-FE	3073-300	—	—	—
IMPORT DPS Fluid	3410-300	—	—	—

ENEOS RACING SERIES				
RACING 0W-20	3901-300	—	—	—
RACING 0W-50	3902-300	—	—	—

ENEOS GEAR OIL				
GEAR OIL LSD GL-5 75W-90	3094-300	—	—	—

ENEOS MOTOR OIL

Crafted with 100% fully synthetic, high-performance hydro-refined Base III oil to provide the highest viscosity index (VI) available. An optimized additive blend provides enhanced piston cleanliness, reduced engine sludge, excellent engine cleanliness, and better fuel economy. ENEOS provides outstanding oxidation stability at high temperatures



ENEOS X Prime 0W-8

ENEOS market tested 0W-8 in Japan for a decade while working with Asian automakers and JASO to develop 0W-8 GLV-1 standards. This optimized formula provides extreme fuel efficiency with maximum engine protection and meets JASO GLV-1.

- 100% synthetic oil suitable for vehicles requiring a viscosity grade SAE 0W-8 lubricant
- Developed to meet the need of emerging hybrid engine technologies

QUART bottle 3000-300



ENEOS 0W-16

Developed in conjunction with Asian automakers to provide increased fuel economy for hybrid and ECO vehicles, ENEOS combines ultra low-viscosity oil with additives carefully selected to protect engine components.

- Superior anti-wear performance with superior anti-wear additive (friction modifier) and oil film retention capacity with ENEOS unique polymer technology
- API SP, ILSAC GF-6B

QUART bottle 3251-300
 BIB [6 GAL] 3251-400
 DRUM 3251-110



ENEOS 0W-20

Notable for its excellent fuel economy and environmental protection, this product is suitable for hybrids and LEVs. It is dexos1™ Gen3 approved, providing broad compatibility with domestic and import vehicles.

- API SP, ILSAC GF-6A



QUART bottle 3701-300
 5 Quart bottle 3701-320
 BIB [6 GAL] 3701-400
 DRUM 3701-110



ENEOS 5W-20

Outstanding fuel-saving properties, superior heat and oxidation stability are present, along with excellent engine cleanliness, wear resistance and minimal oil consumption.

- API SP, ILSAC GF-6A

QUART bottle 3241-300
 5 Quart bottle 3241-320
 BIB [6 GAL] 3241-400
 DRUM 3241-110



ENEOS 5W-30

In addition to other noted ENEOS motor oil product benefits, 5W-30 provides additional properties for improved turbocharger protection. It is dexos1™ Gen3 approved, providing broad compatibility with domestic and import vehicles.

- API SP, ILSAC GF-6A



QUART bottle 3703-300
 5 Quart bottle 3703-320
 BIB [6 GAL] 3703-400
 DRUM 3703-110



ENEOS 5W-40

Ideal for both fuel injection and diesel engines. Meets the European Automobile Manufacturers Association (ACEA) C3, making it especially suitable for European cars.

- API SN/CF
- ACEA C3
- MB229.31 & 229.51
- VW 50500 / 50501
- BMW LL-04
- Porsche A40

QUART bottle 3704-300
 5 Quart bottle 3704-320
 BIB [6 GAL] 3704-400
 DRUM 3704-110

FOR ADDITIONAL COMPATIBILITY

Find our product catalog on SEMA Data Co-op, EPICOR, and WHI, or view the ENEOS Oil Selector at: eneos.us/oil-selector

PRODUCT DETAILS

View additional product information at: eneos.us/products

ENEOS ECO SERIES

Our ECO line of automatic and CVT transmission fluids meet or exceed specifications of the majority of transmissions on the market. As a long-time R&D and factory fill provider for Asian automakers, ENEOS is able to fulfill exact requirements of OEMs while providing true low-viscosity, fully synthetic, fuel efficient products geared towards future vehicle requirements.



ENEOS ECO ATF PLUS

Fuel efficient, premium base with low-molecular weight VI improver.

- Meets specs of over 86% of automatic transmissions in marketplace
- Few other (if any) current multi-vehicle fluids meet the low viscosity standards for today's vehicles
- Improves fuel economy in automatic transmissions
- Additive chemistry provides high resistance to mechanical shear and fatigue

QUART bottle	3111-300
5 Quart bottle	3111-320
BIB [6 GAL]	3111-400
DRUM	3111-110

ECO ATF PLUS	COMPATIBILITY LIST
Toyota/Lexus	WS, T, T-II, T-III, T-IV
Honda/Acura	DW-1, Z-1
Hyundai/Kia/Mitsubishi	SP-II, SP-III, SP-IV, Dia Queen J2, J3
Mazda	ATF M-III, M-V, FZ, JWS 3317
Nissan/Infiniti	Matic-D, J, K, S, W
Subaru	ATF, ATF-HP
Ford	Mercon, Mercon V, Mercon LV
GM	Dexron II, III, VI

FOR ADDITIONAL COMPATIBILITY

Find our product catalog on SEMA Data Co-op, EPICOR, and WHI, or view the ENEOS Oil Selector at: eneos.us/oil-selector

PRODUCT DETAILS

View additional product information at: eneos.us/products



ENEOS ECO CVT FLUID

Continuously Variable Transmission (CVT) fluid formulated to provide longer drain intervals and optimize noise reduction.

- CVTs are installed in over 2.5 million North American vehicles as of 2018, and the number continues to grow
- Meets most CVT specifications
- Provides added fuel efficiency and improved accelerating performance

QUART bottle	3026-300
5 Quart bottle	3026-320
BIB [6 GAL]	3026-400
DRUM	3026-110

ECO CVT FLUID	COMPATIBILITY LIST
Toyota	CVT Fluid TC / FE
Nissan	CVT Fluid NS-1, NS-2, NS-3, Matic D (for N-CVT only)
Infiniti	CVT Fluid NS-3
Honda/Acura	Genuine CVT Fluid, Genuine HCF-2 Transmission Fluid
Subaru	Certified CVTF-II, ECVT Fluid / i-CVT Fluid, i-CVT Fluid FG, CVT Fluid for Linear Tronik and Linear Tronik II
Mazda	CVTF 3320 (JWS 3320)
Mitsubishi	CVT Fluid J1, J4, J4+



ENEOS IMPORT LUBRICANT CENTER

Faster fluid changes for busy shops. Saves resources, time, space, and is fully customizable.

BIB [6 GAL]

ITEM	ENEOS PART NO.
ENEOS Import Lubricant Center Rack (Includes 6 plastic transfer bottles and labels)	1100-000
ENEOS 0W-16	3251-400
ENEOS 0W-20	3701-400
ENEOS 5W-20	3241-400
ENEOS 5W-30	3703-400
ENEOS 5W-40	3704-400
ENEOS ECO-ATF PLUS	3111-400
ENEOS ECO CVT FLUID	3026-400

RACK: 88.5" x 22" x 26.75", 50 lbs

ENEOS IMPORT SERIES

Specific Original Equipment replacement transmission fluids made to the same specifications and quality required by Original Equipment Manufacturers. Best for use when exact match fluid is desired.

ENEOS IMPORT CVT Fluid



Import CVTF | Model H

Engineered for vehicles manufactured by Honda and Acura that require Honda CVT Fluid and HCF-2.

🔧 Quart bottle: 3072-300



Import CVTF | Model N Plus

Engineered for vehicles manufactured by Nissan and Infiniti that require Nissan CVTF NS-3 fluid.

🔧 Quart bottle: 3058-300



Import CVTF | Model S

Engineered for vehicles manufactured by Subaru that require Subaru CVT II.*

🔧 Quart bottle: 3074-300

*Not suitable for Subaru high torque CVTF



Import CVTF | Model T-FE

Engineered for vehicles manufactured by Toyota and Lexus that require Toyota FE.

🔧 Quart bottle: 3073-300

FOR ADDITIONAL INFORMATION 🚗

Find our product catalog on SEMA Data Co-op, EPICOR, and WHI, or view the ENEOS Oil Selector at: eneos.us/oil-selector

PRODUCT DETAILS

View additional product information at: eneos.us/products

ENEOS IMPORT ATF



Import ATF | Model H

Engineered for vehicles manufactured by Honda and Acura that require Honda ATF DW-1 or Z1.

🔧 Quart bottle: 3105-300



Import ATF | Model N

Engineered for vehicles manufactured by Nissan and Infiniti that require Nissan ATF Matic S, K, J, or D.

🔧 Quart bottle: 3106-300



Import ATF | Model SP Plus

Engineered for vehicles manufactured by Hyundai and Kia that require Hyundai and Kia ATF SP-IV.

🔧 Quart bottle: 3109-300



Import ATF | Model T-W

Engineered for vehicles manufactured by Toyota and Lexus that require Toyota ATF WS or Type T-IV.

🔧 Quart bottle: 3107-300

ENEOS IMPORT DPS Fluid



Engineered for vehicles manufactured by Honda and Acura that require Honda Dual Pump Fluid II and Acura DPSF.

🔧 Quart bottle: 3410-300

ENEOS RACING SERIES

SECRET ADVANTAGE FOR MAXIMUM VELOCITY



Created using industry-leading engine oil technologies from decades of collaborative research with Japan's top automakers, as well as our worldwide racing partners, **ENEOS RACING Series** has been designed to deliver exceptional performance under relentless racing conditions, providing maximum horsepower and excellent engine protection for racing vehicles of all types.



ENEOS RACING 0W-20

ENEOS RACING 0W-20 Motor Oil is ideal for racing conditions where explosive force from cold starts or immediate slowdowns is needed, such as short tracks or courses with frequent cornering, where engine temperatures are not as high. It contains MoDTC tech additive.

SPECIFICATION : ILSAC GF-5, API SN/RC

🔑 Quart (946 ml) 3901-300



ENEOS RACING 0W-50

ENEOS RACING 0W-50 Motor Oil is a PAO fully synthetic oil offering exceptional viscosity, fast starts, excellent engine protection and anti-shearing properties. RACING 0W-50 is a very high performance API-spec race oil.

SPECIFICATION : API SN

🔑 Quart (946 ml) 3902-300

ENEOS GEAR OIL LSD GL-5 75W-90



🔑 QUART bottle
3094-300

Fully synthetic gear oil using the latest technology that ensures superior performance in every area required of differential gears, including LSD (Limited Slip Differential). The base oil and additive technology in ENEOS GEAR OIL LSD assures excellent protection against metal-to-metal contact under the most severe conditions.

- Blended with superior quality base oils of Group IV PAO and Ester (also known as Group V base oil, primarily used for jet engines)
- ENEOS Gear Oil LSD base oils provide exceptional lubrication with built-in EP properties, requiring less EP additive, reducing corrosion to "yellow metals" such as the copper and brass used in bushings and syncros
- Compatible with power dividers with synchromesh and limited slip differentials (LSD) requiring API GL-5

The unique base oil formulation of ENEOS Gear Oil allows use with the following viscosities: 75W, 75W-90, 80W, 80W-90, 85W, 85W-90, and 90.*

*Consult owner's manual for vehicle's specific use.

RACING HERITAGE

Motorsports partnerships and sponsorship programs have allowed ENEOS to develop engine and transmission oils under the harshest conditions. We have worked with the Honda Formula One Team, Yamaha Factory Racing MotoGP team, as well as leading competitors in NASCAR, Super GT, World Rally, Rallycross, Formula DRIFT, World of Outlaws, and many more.

Through our ongoing motorsports involvement, ENEOS has been able to apply lessons learned on the track to improve our formulations for passenger vehicles in terms



of power and protection at high temperatures and high RPM. We have developed the ENEOS RACING Series oils for amateur and professional racing drivers to provide cold-start protection and extended high-temperature running while helping to increase power with low-friction formulations.



ENEOS
MOTOR OIL

Manufactured in Childersburg, Alabama

garage

DEALER PROGRAM

ENEOS dealers who are Garage members receive exclusive offers and promotions. Register by signing up for an account at [garage.eneos.us/register](https://www.eneos.us/register)



Education
and resources



Dealer listing on
ENEOS website



POP and
display materials

YOUR **FREE** DEALER RESOURCE

WHERE TO BUY ENEOS PRODUCTS,
www.eneos.us/where-to-buy

For additional information about ENEOS products, please contact or visit www.eneos.us

ENEOS USA INC.

20 N. Martingale Road, Suite 325
Schaumburg, IL 60173
(847) 413-2188